

L Number	Hits	Search Text	DB	Time stamp
-	19272420	(@ad<=20000804 or @rlfd<=20000804)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/08 10:53
-	642	(((tag\$4 or mark\$5) near4 (embedd\$3 or insert\$3 or incorpora\$4)) same (transmit\$4 or send\$4 or download\$4)) and (updat\$4 or upgrad\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:44
-	30184	((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:46
-	509	download\$4 near4 ((file\$1 or software or component\$1) near4 (version or up-to-date or latest))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 16:45
-	19454	((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:02
-	2229	((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/08 10:54
-	46	((anti-virus) same (download\$4 or encrypt\$5)) and (message or request\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 10:16
-	81	(E-mail adj3 (message\$1 or notif\$6)) same (download\$4 near4 (file\$1 or component\$1 or version\$4 or software))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/03 10:27
-	234	(((message or adverti\$7) or notif\$6) same ((latest or new\$4)adj3 version\$1)) and ((software or anti-virus) near4 (upgrad\$4 or updat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:43
-	509	download\$4 near4 ((file\$1 or software or component\$1) near4 (version or up-to-date or latest))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 16:45
-	352	(version near3 identif\$5) same (header or tag)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 16:49
-	128	(encrypt\$\$ or decrypt\$4) near6 ((tag or version or identif\$5) near5 header)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 17:00
-	331	(virus or (virus adj3 definition) adj3 (software or file\$1)) and (upgrad\$4 and download\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 17:00

-	20	(anti-virus adj3 (software or file\$1)) near5 (upgrad\$4 or distribut\$5 or download\$4 or adverti\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/04 17:45
-	5	6035423.URPN.	USPAT	2003/03/04 17:48
-	236	((message or adverti\$7) or notif\$6) same ((latest or new\$4)adj3 version\$1)) and ((software or anti-virus) near4 (upgrad\$4 or updat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:43
-	644	((tag\$4 or mark\$5) near4 (embedd\$3 or insert\$3 or incorpora\$4)) same (transmit\$4 or send\$4 or download\$4)) and (updat\$4 or upgrad\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:44
-	98	(mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:46
-	30249	((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:48
-	6	(antivirus near3 (updat\$4 or upgrad\$4 or download\$4)) and ((transmit\$4 or send\$4) same (notif\$7 or advertis\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:51
-	4731	(@ad<=20000804 or @rlfd<=20000804) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:53
-	62	((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:52
-	3	((((tag\$4 or mark\$5) near4 (embedd\$3 or insert\$3 or incorpora\$4)) same (transmit\$4 or send\$4 or download\$4)) and (updat\$4 or upgrad\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:52
-	13	((((message or adverti\$7) or notif\$6) same ((latest or new\$4)adj3 version\$1)) and ((software or anti-virus) near4 (upgrad\$4 or updat\$4))) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:52

-	68	((antivirus near3 (updat\$4 or upgrad\$4 or download\$4)) and ((transmit\$4 or send\$4) same (notif\$7 or advertis\$6))) or (((upgrad\$4 or updat\$4 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))) or ((((tag\$4 or mark\$5) near4 (embedd\$3 or insert\$3 or incorpora\$4)) same (transmit\$4 or send\$4 or download\$4)) and (updat\$4 or upgrad\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))) or ((((message or adverti\$7) or notif\$6) same ((latest or new\$4)adj3 version\$1)) and ((software or anti-virus) near4 (upgrad\$4 or updat\$4))) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 08:52
-	29	(@ad<=20000804 or @rlfd<=20000804) and (((antivirus near3 (updat\$4 or upgrad\$4 or download\$4)) and ((transmit\$4 or send\$4) same (notif\$7 or advertis\$6))) or (((upgrad\$4 or updat\$4 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))) or ((((tag\$4 or mark\$5) near4 (embedd\$3 or insert\$3 or incorpora\$4)) same (transmit\$4 or send\$4 or download\$4)) and (updat\$4 or upgrad\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))) or ((((message or adverti\$7) or notif\$6) same ((latest or new\$4)adj3 version\$1)) and ((software or anti-virus) near4 (upgrad\$4 or updat\$4))) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 08:24

-	39	(((antivirus near3 (updat\$4 or upgrad\$4 or download\$4)) and ((transmit\$4 or send\$4) same (notif\$7 or advertis\$6))) or (((upgrad\$4 or updat\$4 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4,) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))) or ((((tag\$4 or mark\$5) near4 (embedd\$3 or insert\$3 or incorpora\$4)) same (transmit\$4 or send\$4 or download\$4)) and (updat\$4 or upgrad\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))) or ((((message or adverti\$7) or notif\$6) same ((latest or new\$4)adj3 version\$1)) and ((software or anti-virus) near4 (upgrad\$4 or updat\$4))) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version)))) not ((@ad<=20000804 or @rlfd<=20000804) and (((antivirus near3 (updat\$4 or upgrad\$4 or download\$4)) and ((transmit\$4 or send\$4) same (notif\$7 or advertis\$6))) or (((upgrad\$4 or updat\$4 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))) or ((((tag\$4 or mark\$5) near4 (embedd\$3 or insert\$3 or incorpora\$4)) same (transmit\$4 or send\$4 or download\$4)) and (updat\$4 or upgrad\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))) or ((((message or adverti\$7) or notif\$6) same ((latest or new\$4)adj3 version\$1)) and ((software or anti-virus) near4 (upgrad\$4 or updat\$4))) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/05 09:03
---	----	--	---	---------------------

-	29	((@ad<=20000804 or @rlfd<=20000804) and (((antivirus near3 (updat\$4 or upgrad\$4 or download\$4)) and ((transmit\$4 or send\$4) same (notif\$7 or advertis\$6))) or (((upgrad\$4 or updat\$4 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))) or ((((tag\$4 or mark\$5) near4 (embedd\$3 or insert\$3 or incorpora\$4)) same (transmit\$4 or send\$4 or download\$4)) and (updat\$4 or upgrad\$4)) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))) or ((((message or adverti\$7) or notif\$6) same ((latest or new\$4)adj3 version\$1)) and ((software or anti-virus) near4 (upgrad\$4 or updat\$4))) and ((mail or message or Email) near3 (header same (mark\$4 or tag\$4 or identif\$6 or field\$1)) and ((new\$3 or latest) near3 version))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 08:26
-	2249	((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 08:29
-	888	(717/168-178).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 08:31
-	128	(manifest or catalog) and (advertis\$6) and (version adj3 identif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 08:47
-	20	((((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)) and ((manifest or catalog) and (advertis\$6) and (version adj3 identif\$7)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 08:34
-	13	((((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)) and ((manifest or catalog) and (advertis\$6) and (version adj3 identif\$7))) and (@ad<=20000804 or @rlfd<=20000804)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:05
-	300	(manifest or catalog) and (advertis\$6) and (version adj3 (identif\$7 or detect\$4 or determin\$5 or select\$4 or control\$4 or indicat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 08:51
-	5	((717/168-178).CCLS.) and ((manifest or catalog) and (advertis\$6) and (version adj3 (identif\$7 or detect\$4 or determin\$5 or select\$4 or control\$4 or indicat\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 08:58
-	131	((717/168-178).CCLS.) and (((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 08:58

-	655	((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:01
-	63	((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:01
-	19503	((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:02
-	47	((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))) and (((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:03
-	546	(version near5 header) same (latest or id or new\$4 or identif\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:04
-	118	((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804))) and ((version near5 header) same (latest or id or new\$4 or identif\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:04
-	37	((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804))) and ((version near5 header) same (latest or id or new\$4 or identif\$7))) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:04

-	66	((((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))) and (((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804))) or (((((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804))) and ((version near5 header) same (latest or id or new\$4 or identif\$7))) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))) and (@ad<=20000804 or @rlfd<=20000804)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:05
-	161184	email or adverti\$5 or notif\$7 or (tag near4 (encrypt\$5 or pars\$\$ or extract\$4 or insert\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:07
-	43	((((((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))) and (((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804))) or (((((upgrad\$4 or updat\$\$ or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804))) and ((version near5 header) same (latest or id or new\$4 or identif\$7))) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))) and (@ad<=20000804 or @rlfd<=20000804)) and (email or adverti\$5 or notif\$7 or (tag near4 (encrypt\$5 or pars\$\$ or extract\$4 or insert\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:07
-	4724	(tag near4 (encrypt\$5 or pars\$\$ or extract\$4 or insert\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:08
-	1182	(email or adverti\$5 or notif\$7) and (((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:08

-	241	((tag near4 (encrypt\$5 or pars\$5 or extract\$4 or insert\$5))) and (((upgrad\$4 or updat\$5 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804)) ,	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:10
-	4	((tag near4 (encrypt\$5 or pars\$5 or extract\$4 or insert\$5))) and (((upgrad\$4 or updat\$5 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804)))) and ((version near5 header) same (latest or id or new\$4 or identif\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:11
-	34	(((((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))) and (((upgrad\$4 or updat\$5 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804))) or ((((((upgrad\$4 or updat\$5 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804))) and ((version near5 header) same (latest or id or new\$4 or identif\$7))) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))) and (@ad<=20000804 or @rlfd<=20000804)) and (email or adverti\$5 or notif\$7 or (tag near4 (encrypt\$5 or pars\$5 or extract\$4 or insert\$5))) and ((email or adverti\$5 or notif\$7) and ((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:13
-	6811	((upgrad\$4 or updat\$4) near4 (software or antivirus or (anti adj2 virus) or program\$4)) and download\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 09:15

-	9	<p>(((((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))) and (((upgrad\$4 or updat\$4 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804)))) or (((((upgrad\$4 or updat\$4 or download\$4 or synchroni\$5 or patch\$4) near5 (software or file\$1 or version\$2)) and (transmit\$4 or download\$4 or distribut\$4)) and ((@ad<=20000804 or @rlfd<=20000804)))) and ((version near5 header) same (latest or id or new\$4 or identif\$7))) and (((detect\$4 or identif\$5 or extract\$4 or encrypt\$4) adj3 version) same (header or email or message)) and (transmi\$7 or send\$4 or download\$4 or receiv\$4))) and (@ad<=20000804 or @rlfd<=20000804)) and (email or adverti\$5 or notif\$7 or (tag near4 (encrypt\$5 or pars\$4 or extract\$4 or insert\$5))) and ((email or adverti\$5 or notif\$7) and ((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)))) and (((upgrad\$4 or updat\$4) near4 (software or antivirus or (anti adj2 virus) or program\$4)) and download\$4)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/03/06 09:41</p>
-	3	<p>((email or adverti\$5 or notif\$7) and (((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4))) and ((US-6035423-\$ or US-6006034-\$ or US-6167407-\$ or US-6151643-\$ or US-6097718-\$ or US-6094731-\$ or US-6061505-\$ or US-6052531-\$ or US-5630116-\$ or US-5623500-\$ or US-5577244-\$ or US-5564051-\$ or US-5473772-\$ or US-5077732-\$ or US-5809287-\$ or US-5732275-\$ or US-5694546-\$ or US-4823122-\$ or US-5960170-\$ or US-5940074-\$ or US-5933647-\$ or US-5919247-\$ or US-5907834-\$ or US-5903724-\$ or US-5890129-\$ or US-5862325-\$).did. or (US-5832208-\$).did.)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/03/06 16:47</p>
-	3	<p>((tag near5 (encrypt\$4 or detect\$4 or extract\$4 or identif\$5)) near5 version) same header</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/03/06 16:54</p>
-	5	<p>((manifest or catalog) near5 (encrypt\$4 or detect\$4 or extract\$4 or identif\$5 or defin\$4 or specif\$4)) near5 version) and (download\$5 near4 (file\$1 or component or software or code or module))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/03/06 17:09</p>
-	14	5799088.URPN.	USPAT	2003/03/06 17:13

-	9	((message or packet\$1 or manifest or package or data or stream) near4 ((encrypt\$4 or embed\$6) adj3 (tag or indicator or bit or field or header))) near4 (version or (version adj ID))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:20
-	303	((encrypt\$4 or insert\$4) near5 (version or tag or identif\$7)) near3 header	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:21
-	17	((encrypt\$4 or insert\$4) near5 (version or tag or identif\$7)) near3 header) and ((latest or new\$5 or updated) adj4 version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:22
-	12	((((encrypt\$4 or insert\$4) near5 (version or tag or identif\$7)) near3 header) and ((latest or new\$5 or updated) adj4 version\$1)) and (@ad<=20000804 or @rlfd<=20000804)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:32
-	7	((encrypted adj3 (version or flag or tag or value)) near4 (header)) same (version or (version adj id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/06 17:34
-	8	(email near7 (notif\$7 or adverti\$5)) same ((latest or updat\$4 or new\$4) adj2 version\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 08:55
-	2	((email near7 (notif\$7 or adverti\$5)) same ((latest or updat\$4 or new\$4) adj2 version\$1)) and (@ad<=20000804 or @rlfd<=20000804)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 14:11
-	8315	(flag or indicator) near4 (download\$4 or updat\$4 or install\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 14:13
-	12	((flag or indicator) near4 (download\$4 or updat\$4 or install\$4)) and ((header near4 (tag or flag or value)) same (indicat\$4 near4 (download\$4 or install\$4 or updat\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 14:15
-	10	((flag or indicator) near4 (download\$4 or updat\$4 or install\$4)) and ((header near4 (tag or flag or value)) same (indicat\$4 near4 (download\$4 or install\$4 or updat\$4)))) and (@ad<=20000804 or @rlfd<=20000804)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 14:15
-	485	((random\$5 adj2 (number or value or amount)) near7 (sleep\$4 or wait\$5 or no-op or poll\$5 or idle)) and (communicat\$4 or transmi\$6 or protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/08 10:51
-	402	((random\$5 adj2 (number or value or amount)) near7 (sleep\$4 or wait\$5 or no-op or poll\$5 or idle)) and (communicat\$4 or transmi\$6 or protocol)) and (@ad<=20000804 or @rlfd<=20000804)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/08 10:53
-	2249	((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/08 10:54

-	2	((up-to-date or newest or latest) adj3 (version\$1 or file\$1 or software or module\$1 or packag\$3)) and (download\$4 or distribut\$4)) and (((random\$5 adj2 (number or value or amount)) near7 (sleep\$4 or wait\$\$ or no-op or poll\$5 or idle)) and (communicat\$4 or transmi\$6 or protocol)) and (@ad<=20000804 or @rlfd<=20000804))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/08 10:54
-	26	(US-5809287-\$ or US-6370578-\$ or US-6311206-\$ or US-6269456-\$ or US-6266774-\$ or US-5758072-\$ or US-6074434-\$ or US-6353926-\$ or US-6247128-\$ or US-6148340-\$ or US-6065046-\$ or US-5894516-\$ or US-6360366-\$ or US-5799088-\$ or US-6128715-\$ or US-6151643-\$ or US-6006034-\$ or US-5473772-\$ or US-6487599-\$ or US-6192407-\$ or US-6031830-\$ or US-5991774-\$ or US-6038601-\$).did. or (US-20030018527-\$ or US-20010029178-\$).did. or (US-6035423-\$).did.	USPAT; US-PGPUB; DERWENT	2003/03/08 12:53
-	7	((US-5809287-\$ or US-6370578-\$ or US-6311206-\$ or US-6269456-\$ or US-6266774-\$ or US-5758072-\$ or US-6074434-\$ or US-6353926-\$ or US-6247128-\$ or US-6148340-\$ or US-6065046-\$ or US-5894516-\$ or US-6360366-\$ or US-5799088-\$ or US-6128715-\$ or US-6151643-\$ or US-6006034-\$ or US-5473772-\$ or US-6487599-\$ or US-6192407-\$ or US-6031830-\$ or US-5991774-\$ or US-6038601-\$).did. or (US-20030018527-\$ or US-20010029178-\$).did. or (US-6035423-\$).did.) and (encrypt\$4 and decrypt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/08 12:56
-	8	((US-5809287-\$ or US-6370578-\$ or US-6311206-\$ or US-6269456-\$ or US-6266774-\$ or US-5758072-\$ or US-6074434-\$ or US-6353926-\$ or US-6247128-\$ or US-6148340-\$ or US-6065046-\$ or US-5894516-\$ or US-6360366-\$ or US-5799088-\$ or US-6128715-\$ or US-6151643-\$ or US-6006034-\$ or US-5473772-\$ or US-6487599-\$ or US-6192407-\$ or US-6031830-\$ or US-5991774-\$ or US-6038601-\$).did. or (US-20030018527-\$ or US-20010029178-\$).did. or (US-6035423-\$).did.) and ((encrypt\$4 or decrypt\$4) and key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/08 12:57

THIS PAGE BLANK (USPTO)